

## **STIC Biotechnology Systems Branch**

### **RAW SEQUENCE LISTING** **ERROR REPORT**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/583,110  
Source: IFWP  
Date Processed by STIC: 6/27/06

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 4.4.0 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

**<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>**

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (**<http://www.uspto.gov/ebc/efs/downloads/documents.htm>**), EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):  
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/10/06

## Raw Sequence Listing Error Summary

### ERROR DETECTED

### SUGGESTED CORRECTION

SERIAL NUMBER:

10/583/110

ATTN: NEW RULES CASES: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE

- 1    Wrapped Nucleics  
    Wrapped Aminos   The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor **after** creating it. Please adjust your right margin to .3; this will prevent "wrapping."
- 2    Invalid Line Length   The rules require that a line **not exceed** 72 characters in length. This includes white spaces.
- 3    Misaligned Amino  
    Numbering       The numbering under each 5<sup>th</sup> amino acid is misaligned. Do **not** use tab codes between numbers; use **space characters**, instead.
- 4    Non-ASCII       The submitted file was **not** saved in ASCII(DOS) text, as **required** by the Sequence Rules. **Please ensure your subsequent submission is saved in ASCII text.**
- 5    Variable Length   Sequence(s)        contain n's or Xaa's representing more than one residue. **Per Sequence Rules, each n or Xaa can only represent a single residue.** Please present the **maximum** number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.
- 6    PatentIn 2.0  
    "bug"           A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences(s)       . Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. **This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.**
- 7    Skipped Sequences  
    (OLD RULES)   Sequence(s)        missing. If intentional, please insert the following lines for **each** skipped sequence:  
                  (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)  
                  (i)       SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading)  
                  (xi)      SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)  
                  This sequence is intentionally skipped  
                  Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to **include** the skipped sequences.
- 8    Skipped Sequences  
    (NEW RULES)   Sequence(s)        missing. If intentional, please insert the following lines for **each** skipped sequence.  
                  <210> sequence id number  
                  <400> sequence id number  
                  000
- 9    Use of n's or Xaa's  
    (NEW RULES)   Use of n's and/or Xaa's have been detected in the Sequence Listing.  
                  Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present.  
                  In <220> to <223> section, please explain location of **n** or **Xaa**, and which residue **n** or **Xaa** represents.
- 10    Invalid <213>  
    Response       Per 1.823 of Sequence Rules, the only **valid** <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species). <220>-<223> section is **required** when <213> response is Unknown or is Artificial Sequence. (see item 11 below)
- 11    Use of <220>   Sequence(s)        missing the <220> "Feature" and associated numeric identifiers and responses. Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section or use "chemically synthesized" as explanation. (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32), also Sec. 1.823 of Sequence Rules
- 12    PatentIn 2.0  
    "bug"           Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.
- 13    Misuse of n/Xaa   "**n**" can **only** represent a single nucleotide; "**Xaa**" can **only** represent a single amino acid



IFWP

## RAW SEQUENCE LISTING

DATE: 06/27/2006

PATENT APPLICATION: US/10/583,110

TIME: 11:56:31

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\06272006\J583110.raw

*see item 2 on  
Even  
summary  
sheet*

2 <110> APPLICANT: Suntory Limited et al.  
W--> 3 <120> TITLE OF INVENTION: Proess for production of yellow flowers by control of  
flavonoid  
W--> 4 synthesis system  
W--> 5 <130> FILE REFERENCE: P952  
C--> 6 <140> CURRENT APPLICATION NUMBER: US/10/583,110  
C--> 6 <141> CURRENT FILING DATE: 2006-06-15  
W--> 6 <160> NUMBER OF SEQ ID: 70

*see pp 1, 3-12*

## ERRORED SEQUENCES

W--> 7 <210> SEQ ID NO: 1  
8 <211> LENGTH: 1422  
9 <212> TYPE: DNA  
E--> 10 <213> ORGANISM: *← mandatory response needed*  
W--> 11 <220> FEATURE:  
W--> 12 <221> NAME/KEY:  
13 <222> LOCATION:  
14 <223> OTHER INFORMATION: Nucleic acid in pSPB1725  
W--> 15 <400> SEQUENCE: 1

**Does Not Comply  
Corrected Diskette Needed**

16 atg gga gaa gaa tac aag aaa aca cac aca ata gtc ttt cac act tca	48
17 Met Gly Glu Glu Tyr Lys Lys Thr His Thr Ile Val Phe His Thr Ser	
18 1 5 10 15	
19 gaa gaa cac ctc aac tct tca ata gcc ctt gca aag ttc ata acc aaa	96
20 Glu Glu His Leu Asn Ser Ser Ile Ala Leu Ala Lys Phe Ile Thr Lys	
21 20 25 30	
22 cac cac tct tca atc tcc atc act atc atc agc act gcc ccc gcc gaa	144
23 His His Ser Ser Ile Ser Ile Thr Ile Ile Ser Thr Ala Pro Ala Glu	
24 35 40 45	
25 tct tct gaa gtg gcc aaa att att aat aat ccg tca ata act tac cgc	192
26 Ser Ser Glu Val Ala Lys Ile Ile Asn Asn Pro Ser Ile Thr Tyr Arg	
27 50 55 60	
28 ggc ctc acc gcg gta gcg ctc cct gaa aat ctc acc agt aac att aat	240
29 Gly Leu Thr Ala Val Ala Leu Pro Glu Asn Leu Thr Ser Asn Ile Asn	
30 65 70 75 80	
31 aaa aac ccc gtc gaa ctt ttc ttc gaa atc cct cgt cta caa aac gcc	288
32 Lys Asn Pro Val Glu Leu Phe Phe Glu Ile Pro Arg Leu Gln Asn Ala	
33 85 90 95	
34 aac ctt cga gag gct tta cta gat att tcg cga aaa tcc gat atc aaa	336
35 Asn Leu Arg Glu Ala Leu Leu Asp Ile Ser Arg Lys Ser Asp Ile Lys	
36 100 105 110	
37 gca tta atc atc gat ttc ttc tgc aat gcg gca ttt gaa gta tcc acc	384
38 Ala Leu Ile Ile Asp Phe Phe Cys Asn Ala Ala Phe Glu Val Ser Thr	

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/583,110

DATE: 06/27/2006

TIME: 11:56:31

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\06272006\J583110.raw

39	115	120	125	
40	agc atg aac ata ccc act tac ttc gac gtc agt ggc ggc gct ttt ctc	432		
41	Ser Met Asn Ile Pro Thr Tyr Phe Asp Val Ser Gly Gly Ala Phe Leu			
42	130 135 140			
43	ctc tgc acg ttt ctc cac cac ccg aca cta cac caa act gtt cgt gga	480		
44	Leu Cys Thr Phe Leu His His Pro Thr Leu His Gln Thr Val Arg Gly			
45	145 150 155 160			
46	gac att gcg gat ttg aac gat tct gtt gag atg ccc ggg ttc cca ttg	528		
47	Asp Ile Ala Asp Leu Asn Asp Ser Val Glu Met Pro Gly Phe Pro Leu			
48	165 170 175			
49	att cac tcc tct gat tta cca atg agt ttg ttt tat cgt aag act aat	576		
50	Ile His Ser Ser Asp Leu Pro Met Ser Leu Phe Tyr Arg Lys Thr Asn			
51	180 185 190			
52	gtt tac aaa cac ttt cta gac act tcc tta aac atg cgc aaa tcg agt	624		
53	Val Tyr Lys His Phe Leu Asp Thr Ser Leu Asn Met Arg Lys Ser Ser			
54	195 200 205			
55	ggg ata ctc gtg aac acg ttt gtt gcg ctc gag ttt cga gct aag gaa	672		
56	Gly Ile Leu Val Asn Thr Phe Val Ala Leu Glu Phe Arg Ala Lys Glu			
57	210 215 220			
58	gct ttg tcc aac ggt ttg tac ggt cca act ccg cct ctt tat tta ctt	720		
59	Ala Leu Ser Asn Gly Leu Tyr Gly Pro Thr Pro Pro Leu Tyr Leu Leu			
60	225 230 235 240			
61	tca cat aca att gcc gaa ccc cac gac act aaa gtg ttg gta aac caa	768		
62	Ser His Thr Ile Ala Glu Pro His Asp Thr Lys Val Leu Val Asn Gln			
63	245 250 255			
64	cac gaa tgc cta tca tgg ctt gat ttg cag cct agt aaa agc gtg att	816		
65	His Glu Cys Leu Ser Trp Leu Asp Leu Gln Pro Ser Lys Ser Val Ile			
66	260 265 270			
67	ttc ctt tgt ttc gga aga aga gga gcg ttc tca gca caa cag ttg aaa	864		
68	Phe Leu Cys Phe Gly Arg Arg Gly Ala Phe Ser Ala Gln Gln Leu Lys			
69	275 280 285			
70	gaa att gcg ata ggg ttg gag aag agt gga tgt cga ttt ctt tgg ttg	912		
71	Glu Ile Ala Ile Gly Leu Glu Lys Ser Gly Cys Arg Phe Leu Trp Leu			
72	290 295 300			
73	gcc cgc att tca ccg gag atg gac tta aat gcg ctt ctg ccg gag ggt	960		
74	Ala Arg Ile Ser Pro Glu Met Asp Leu Asn Ala Leu Leu Pro Glu Gly			
75	305 310 315 320			
76	ttt cta tcg aga act aaa gga gta ggg ttt gtg aca aac aca tgg gtg	1008		
77	Phe Leu Ser Arg Thr Lys Gly Val Gly Phe Val Thr Asn Thr Trp Val			
78	325 330 335			
79	ccg caa aaa gag gtg ttg agt cat gat gca gtg ggg ggg ttt gtg act	1056		
80	Pro Gln Lys Glu Val Leu Ser His Asp Ala Val Gly Gly Phe Val Thr			
81	340 345 350			
82	cat tgc ggg tgg agt tcg gtt ctt gaa gcg ctg tcg ttc ggt gtc ccg	1104		
83	His Cys Gly Trp Ser Ser Val Leu Glu Ala Leu Ser Phe Gly Val Pro			
84	355 360 365			
85	atg att ggt tgg ccg ttg tac gca gag cag agg atc aat agg gtg ttc	1152		
86	Met Ile Gly Trp Pro Leu Tyr Ala Glu Gln Arg Ile Asn Arg Val Phe			
87	370 375 380			

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/583,110

DATE: 06/27/2006

TIME: 11:56:31

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\06272006\J583110.raw

```

88 atg gtg gag gaa ata aag gtg gcg ctg cca ttg gat gag gaa gat gga      1200
89 Met Val Glu Glu Ile Lys Val Ala Leu Pro Leu Asp Glu Glu Asp Gly
90 385                      390                      395                      400
91 ttt gtg acg gcg atg gag ttg gag aag cgc gtc agg gag ttg atg gag      1248
92 Phe Val Thr Ala Met Glu Leu Glu Lys Arg Val Arg Glu Leu Met Glu
93                      405                      410                      415
94 tcg gta aag ggg aaa gaa gtg aag cgc cgt gtg gcg gaa ttg aaa atc      1296
95 Ser Val Lys Gly Lys Glu Val Lys Arg Arg Val Ala Glu Leu Lys Ile
96                      420                      425                      430
97 tct aca aag gca gcc gtg agt aaa ggt gga tcg tcc ttg gct tct ttg      1344
98 Ser Thr Lys Ala Ala Val Ser Lys Gly Gly Ser Ser Leu Ala Ser Leu
99                      435                      440                      445
100 gag aag ttc atc aac tcg gtc act cgt taaag tttcttactc aatatatggt      1396
101 Glu Lys Phe Ile Asn Ser Val Thr Arg
102                      450                      455
103 acatcggttt aactaccaaa ttttat      1422
105 <210> SEQ ID NO: 2
106 <211> LENGTH: 457
107 <212> TYPE: PRT
E--> 108 <213> ORGANISM: mandatory response
109 <223> OTHER INFORMATION: Amino acid sequence of 4,2',4',6'-tetrahydroxycalcane 4'-O-
110 glycosyltransferase encoded in pSPB1725
insert this mandatory numeric identifier wherever <2217, <2227, or <2237 is shown
E--> 111 <400> SEQUENCE: 2
112 Met Gly Glu Glu Tyr Lys Lys Thr His Thr Ile Val Phe His Thr Ser
113 1 5 10 15
114 Glu Glu His Leu Asn Ser Ser Ile Ala Leu Ala Lys Phe Ile Thr Lys
115 20 25 30
116 His His Ser Ser Ile Ser Ile Thr Ile Ile Ser Thr Ala Pro Ala Glu
117 35 40 45
118 Ser Ser Glu Val Ala Lys Ile Ile Asn Asn Pro Ser Ile Thr Tyr Arg
119 50 55 60
120 Gly Leu Thr Ala Val Ala Leu Pro Glu Asn Leu Thr Ser Asn Ile Asn
121 65 70 75 80
122 Lys Asn Pro Val Glu Leu Phe Phe Glu Ile Pro Arg Leu Gln Asn Ala
123 85 90 95
124 Asn Leu Arg Glu Ala Leu Leu Asp Ile Ser Arg Lys Ser Asp Ile Lys
125 100 105 110
126 Ala Leu Ile Ile Asp Phe Phe Cys Asn Ala Ala Phe Glu Val Ser Thr
127 115 120 125
128 Ser Met Asn Ile Pro Thr Tyr Phe Asp Val Ser Gly Gly Ala Phe Leu
129 130 135 140
130 Leu Cys Thr Phe Leu His His Pro Thr Leu His Gln Thr Val Arg Gly
131 145 150 155 160
132 Asp Ile Ala Asp Leu Asn Asp Ser Val Glu Met Pro Gly Phe Pro Leu
133 165 170 175
134 Ile His Ser Ser Asp Leu Pro Met Ser Leu Phe Tyr Arg Lys Thr Asn
135 180 185 190
136 Val Tyr Lys His Phe Leu Asp Thr Ser Leu Asn Met Arg Lys Ser Ser
137 195 200 205

```

## RAW SEQUENCE LISTING

DATE: 06/27/2006

PATENT APPLICATION: US/10/583,110

TIME: 11:56:31

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\06272006\J583110.raw

```

138 Gly Ile Leu Val Asn Thr Phe Val Ala Leu Glu Phe Arg Ala Lys Glu
139      210                      215                      220
140 Ala Leu Ser Asn Gly Leu Tyr Gly Pro Thr Pro Pro Leu Tyr Leu Leu
141 225                      230                      235                      240
142 Ser His Thr Ile Ala Glu Pro His Asp Thr Lys Val Leu Val Asn Gln
143                      245                      250                      255
144 His Glu Cys Leu Ser Trp Leu Asp Leu Gln Pro Ser Lys Ser Val Ile
145                      260                      265                      270
146 Phe Leu Cys Phe Gly Arg Arg Gly Ala Phe Ser Ala Gln Gln Leu Lys
147                      275                      280                      285
148 Glu Ile Ala Ile Gly Leu Glu Lys Ser Gly Cys Arg Phe Leu Trp Leu
149      290                      295                      300
150 Ala Arg Ile Ser Pro Glu Met Asp Leu Asn Ala Leu Leu Pro Glu Gly
151 305                      310                      315                      320
152 Phe Leu Ser Arg Thr Lys Gly Val Gly Phe Val Thr Asn Thr Trp Val
153                      325                      330                      335
154 Pro Gln Lys Glu Val Leu Ser His Asp Ala Val Gly Gly Phe Val Thr
155                      340                      345                      350
156 His Cys Gly Trp Ser Ser Val Leu Glu Ala Leu Ser Phe Gly Val Pro
157                      355                      360                      365
158 Met Ile Gly Trp Pro Leu Tyr Ala Glu Gln Arg Ile Asn Arg Val Phe
159      370                      375                      380
160 Met Val Glu Glu Ile Lys Val Ala Leu Pro Leu Asp Glu Glu Asp Gly
161 385                      390                      395                      400
162 Phe Val Thr Ala Met Glu Leu Glu Lys Arg Val Arg Glu Leu Met Glu
163                      405                      410                      415
164 Ser Val Lys Gly Lys Glu Val Lys Arg Arg Val Ala Glu Leu Lys Ile
165                      420                      425                      430
166 Ser Thr Lys Ala Ala Val Ser Lys Gly Gly Ser Ser Leu Ala Ser Leu
167                      435                      440                      445
168 Glu Lys Phe Ile Asn Ser Val Thr Arg
169      450                      455

```

281 &lt;210&gt; SEQ ID NO: 13

282 &lt;211&gt; LENGTH: 1446

283 &lt;212&gt; TYPE: DNA

E--> 284 <213> ORGANISM: *← mandatory response*

W--&gt; 285 &lt;220&gt; FEATURE:

W--&gt; 286 &lt;221&gt; NAME/KEY:

287 &lt;222&gt; LOCATION:

288 &lt;223&gt; OTHER INFORMATION: pSPB264

W--&gt; 289 &lt;400&gt; SEQUENCE: 13

```

290 atgggaaaac ttcacattgc cttatttcca gttatggctc atggtcacat gatcccaatg      60
291 ttggacatgg ccaagctctt tacctcaaga ggcatacaaa caacaatcat ttcgactctc      120
292 gccttcgctg atccgataaa caaagctcgt gattcggggcc tcgatattgg actaagcatc      180
293 ctcaaattcc caccagaagg atcaggaata ccagatcaca tgggtgagcct tgatctagtt      240
294 actgaagatt ggctcccaaa gtttgttgag tcattagtct tattacaaga gccagttgag      300
295 aagcttatcg aagaactaaa gctcgactgt ctcgtttccg acatgttctt gccttggaca      360
296 gtcgattgtg cggctaagtt cggttattccg aggttggttt tccacggaac gagcaacttt      420
297 gcgttggtgtg cttcggagca aatgaagctt cacaagcctt ataagaatgt aacttctgat      480

```

*← if this explains an Artificial Sequence,  
give  
source  
of genetic  
material*

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/583,110

DATE: 06/27/2006

TIME: 11:56:31

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\06272006\J583110.raw

```

298 actgagacat ttgttatacc ggatttcccc catgagctga agtttgtgag gactcaagtg 540
299 gctccgtttc agcttgcgga aacggagaat ggattctcaa agttgatgaa acagatgacg 600
300 gagtctgttg gtagaagcta cgggtgtgtg gttaacagtt tttatgagct cgagtcgact 660
301 tatgtggatt attacagaga ggttttgggt agaaagtctt ggaatatagg gcctctgttg 720
302 ttatccaaca atggcaatga ggaaaaagta caaaggggaa aggaatctgc gattggcgaa 780
303 cacgaatgct tggcttggtt gaattccaag aagcagaatt cggttgttta cgtttgtttt 840
304 ggaagtatgg cgacttttac tccagcgag ttgcgcgaaa ctgcgattgg actcgaggaa 900
305 tcaggccaag agttcatttg ggtagttaaa aaggccaaaa acgaagaaga aggaaaagga 960
306 aaagaagaat ggctgccaga aaattttgag gaaagagtga aagatagagg cttgatcata 1020
307 agaggatggg cgccgcaatt gttgatactc gatcatcctg cggtaggagc tttcgtgacg 1080
308 cattgtggat ggaattcgac gttggaagga atatgcgccg gtgtgcctat ggtgacttgg 1140
309 ccagttttcg cagagcagtt tttcaatgag aagtttgtga cagaggtttt ggggaccggt 1200
310 gtttcggttg ggaataagaa gtggctaagg gcagcaagtg aaggtgtgtc gagggaggca 1260
311 gtgacgaacg cgggtcgagcg tgttatggtg ggagaaaatg cgtcggagat gagaaagcga 1320
312 gcgaagtatt ataaggaaat ggcgaggcgg gcggttgagg aaggcggttc gtcttataat 1380
313 ggtttgaatg agatgataga ggatttgagt gtgtaccgtg ctccagaaaa acaagactta 1440
314 aactag

```

316 &lt;210&gt; SEQ ID NO: 14

317 &lt;211&gt; LENGTH: 1488

318 &lt;212&gt; TYPE: DNA

E--> 319 <213> ORGANISM: *← response needed*

W--&gt; 320 &lt;220&gt; FEATURE:

W--&gt; 321 &lt;221&gt; NAME/KEY:

322 &lt;222&gt; LOCATION:

323 <223> OTHER INFORMATION: PSPB662 *explain source*

W--&gt; 324 &lt;400&gt; SEQUENCE: 14

```

325 atggcctttc aaattcaacc agagcttcta aacttcgttt tcataccatt catggcccct 60
326 ggccactcaa tccctatgat agacttagcc aaattatcgc cggaacgcgg cgtcaacgta 120
327 acgatcatcg taacacctct taacgccgca cgattcaatt ccgttattaa tcgagccggt 180
328 gaatcaggac agtccattcg tcttctccaa gtaaaattcc ctggtgaaga agccgggttg 240
329 ccacctggat gcgaaagcgc cgagacttta ccacttatg aattgattcc aaattttttt 300
330 accgcgtaaa aattgttaca acaaccaatc gaggaagaat tgagaaattt gatcccttta 360
331 ccaagctgcg tcaattgtga taaacacata ccctggactg ctcaaactg caagaatctc 420
332 cgaattccga ggataatttt cgatggaatg agctgttttg ctcccttagt aacacacgtt 480
333 ctctacgtgt ctaaggttca tgaaaccgtt cctccaaacg agccgttcgt tgttcctgat 540
334 ttccccgatg agatagagtt aacgaggttt caattgccag ggttggtgaa tccaagtcca 600
335 aggataaatt tttacgattt tcgcgaacaa gtgaagaaaa ctgaggagga ggcttatggg 660
336 gtggtggtga acagttttga ggagctggaa aaagattatt tcgagatgtt tcggaattg 720
337 aaagggggta aagtttggtg tgttgggcct ttgtcgcttt atggtaacga cgatttgac 780
338 agggctggaa gagggaataa ggcgtcgatt gatacggatc ggtgtatgaa atggcttgat 840
339 gatatgaaac cagaatctgt aatttatgcc tgtttgggaa gcctgagtcg tttgtcgcgt 900
340 tcacagttcg tcgaacttgc tttgggattg gaagcatcaa aacactcgtt tgttctagtt 960
341 gttaaaaccg aaggagagaa gtcgttggaa atagagaaat ggattttgga caatggattc 1020
342 gaggaagaa cgaaagatag agggttcctg attcgtgggt ggtcgccaca agtgttgatc 1080
343 ttgtcgcatt ttgcagtggg aggattcctg acgcattgtg gttggaattc gacgcttgag 1140
344 ggcatttggt ctggtttgcc aatggtgatg tggccgatgt tcggcgaaca gtttttgaat 1200
345 gagaagttag tgggtcgagat tttggggacg ggtgtgggag ttggagcgaa aagtacggta 1260
346 catttggggg atgaagagat ggatgagatg agagtacga ggaaggggat taccaaggcg 1320
347 gtcgtggcag ttatggatag aggaactgaa ggggtgtgaga ggcggagaaa ggcgaaggag 1380

```

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/583,110

DATE: 06/27/2006

TIME: 11:56:31

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\06272006\J583110.raw

```

348 cttggtgaaa tggctaagag ggcagtccaa gttgggggat cttcatgtaa gaatgtcgac 1440
349 cagctaattc aagaagttgc accattgagt gtagcgaggg atgtgtaa 1488
351 <210> SEQ ID NO: 15
352 <211> LENGTH: 1446
353 <212> TYPE: DNA
E--> 354 <213> ORGANISM: ← response needed
W--> 355 <220> FEATURE:
W--> 356 <221> NAME/KEY:
357 <222> LOCATION:
358 <223> OTHER INFORMATION: pSPB1621
W--> 359 <400> SEQUENCE: 15
360 atgggttctc tccctgaaaa tgagctcaac aaaccacatg ctgtgtgcat accctatcca 60
361 gcactagggc atttcagtcc catgctagat tttgctaagc tcctccacca aaaaggcttt 120
362 cacataacct tcgtcaacac cgagtacatc cgtctccgcc tcctcaagtc ctgtggccct 180
363 gccgccctgg acgggctacc ggactttcgc ttcatgacta tccccgatgg cctccctttg 240
364 tcggacgacg tttcgcgtga tgtcgtttcc atttctgtct ctactaacia aacttgctta 300
365 gaaccctttt gtgagggtgt atcggacctc atggataatg gttccaaccc gccggtgagc 360
366 tgcattgtgt ccgacggggg aatgagtttc acccttgagg cggcggagag gtttggactg 420
367 ccagaggtgc tgttctggac gcccgctgct tgtggcatct tagctttcac gcagtataag 480
368 catcttgtgg agagaggata tgtacctctc aaagatacga gccaggtaac aaatggctac 540
369 ctggaaacia tattagattg ggttccaggg atgaaggata ttcgattgag ggaattccca 600
370 actttcataa gaacgacgga cccaaacgac gttatgctgg attttctaataaaaacaagtt 660
371 gacgccaccc cgaaagccaa tgctgtgatc atcaacacgt tcgacacatt ggaaagtgc 720
372 gctctcaacg ccctctctgt catgtttccg cgcataata cactcgggcc tctccatatg 780
373 atgttgtaata atcccaggt cgacgaaccc tctaatagcaa tcaaatttaa tctttggaaa 840
374 gaagactcac attgcctaga ttggctcgat gtgaacgagc ccggtatcagt tgtatacgtg 900
375 aattttggca gctcaacaat tctgactgtt gaacaactaa ctgaattagc atggggcctt 960
376 gctaacagca agaaaccgtt cctttggatc atcaggcctg atttagtaac tgggtgcatc 1020
377 tccatgcttc cgctgagtt cctggtcgag actaaagaca gaagcatgtt agtgagttgg 1080
378 tgcaaccaag aacaagtgtt gaagcaccac gcgactggag tgttcttgac gcattgtgga 1140
379 tggaaatcga cgattgaaag catttgcagc ggcgtgcaa tgatttgttg gccttactac 1200
380 gctgacgagc aaaccaactg taggtacagt tgtgtggaat gggaaatagg aatggagatc 1260
381 attgacaacg atgtgaagc agatgaggtg gaattgctgg tgattaagtt gatggatggt 1320
382 atcaagggaa agaaaatgaa aaagaaagct atggagtggg agaggaaagc agaagaggcg 1380
383 gtagcttttg ggggctcttc ctacatgaat ttggataaac ttattagcga cgtgcttttt 1440
384 ccataa 1446
386 <210> SEQ ID NO: 16
387 <211> LENGTH: 1458
388 <212> TYPE: DNA
E--> 389 <213> ORGANISM: ← response needed
W--> 390 <220> FEATURE:
W--> 391 <221> NAME/KEY:
392 <222> LOCATION:
393 <223> OTHER INFORMATION: pSPB1620
W--> 394 <400> SEQUENCE: 16
395 atggcaggtc caaattgcaa gcctcacgcc atcatgatcg cacttcctta ccaaggccac 60
396 ataactcctt ttgtcaatct tgcactaaaa cttgcttcca atggctttac aatcactttt 120
397 gttcaccttg aatttatcca ccaaatgttg tctaaagccc ataacgccac taaaactgaa 180
398 gcagatttat tttcgaagc acgagaatcc ggtctcgaca tacgttacac aacgattgac 240

```



## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/583,110

DATE: 06/27/2006

TIME: 11:56:31

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\06272006\J583110.raw

```

399 gatgggtttcc ctttgggaatt cgacagggct ctccactccg aggagtattg gcactccatg 300
400 ttgcgagatt tcccgttaca cgtcgatgag tttgttcgaa aagtcgtgga gtcagagcca 360
401 ttttttagagc acttttttgtt tacggatact atgtatacat ggccctgcaac cattgcaaag 420
402 aaacataatc ttgtgaatat ttcgtttttgg actgaaccag ccctgggtgtt ttctttgtct 480
403 taccatataa accttctgaa gcaaaatggg cattttccat gtaaagaaaa tattgatgag 540
404 gaaataaatt acgtaccagg agttgattca ataagtacaa gggatttaat gtcttatttt 600
405 aaagaaccag gatcagaaac attagagaaa aatggtgtgc tcaaggcatt tgaaggagtg 660
406 aagaaagctg atttcatctt gcataacaca ttgcaagaac tagaatctga gacactctca 720
407 gctcttacca aaatgcagcc aaattacgcc gttggaccta ttaatttctc caaacatact 780
408 cctaaaactg tcaccaagag tctacggctc gaattcgact gcaccaactg gctcgactct 840
409 aagcctccca actctatttt atacgtctcg tttggtagtt ttattcagac aagcaaagag 900
410 gtaattgaag aaatcgctta cggctctctc cttagtgaag ttaactttat atgggtggtt 960
411 agaacagata gtgtgagttt agaggataac gaggttttgc cgggttgatt tagggatgag 1020
412 gttaaagata gggggttgat agttccgtgg tgtgatcaaa ttacggtttt gtctaactgc 1080
413 gcggttgag gatcttgac gcattgtgga tggaaactcg tattagagag tatgtggtgt 1140
414 ggcgttccta tgatttgta tccgttaaca tatgatcaac ctactaatag gaaactattg 1200
415 gttgatgatt ggaagattgg cattaatctt tgcgacggag cgttgattaa tagaaaagaa 1260
416 attgcagaga agattaaggc cttgatgagt gaaagtactt cagaggggtt gagggaagaa 1320
417 tctgagaaaag ttaagggctt gttgaagaat gcactggaag ttggtggttc atcagagaag 1380
418 aatttcaata aatttattga ggatttgaag gcaaaaattc aaataatgaa agagcaaag 1440
419 cctgctaata ccagttga 1458

```

421 &lt;210&gt; SEQ ID NO: 17

422 &lt;211&gt; LENGTH: 1443

423 &lt;212&gt; TYPE: DNA

E--> 424 <213> ORGANISM: *response needed*

W--&gt; 425 &lt;220&gt; FEATURE:

W--&gt; 426 &lt;221&gt; NAME/KEY:

427 &lt;222&gt; LOCATION:

428 <223> OTHER INFORMATION: PSPB1622

W--&gt; 429 &lt;400&gt; SEQUENCE: 17

```

430 atgggttcca cagccgaaaa taaacagaaa acccacattg tgtgcatacc ctaccagacc 60
431 caggggcaca tcagcccat gctaaagtta gccaaactgc tacacaaaaa cggcttttac 120
432 atcaccttttgc tcaaacaggga gtacaaccac cgccgcctca tcaagtcctg cggccccacc 180
433 gccctcgacg gattgcccga tttccggttc gttacgatcc ccgacgggct tcctttctct 240
434 gaagccgacg ccacacagga tatcccttct ctttgtgttt caaccaccaa cacttgcttg 300
435 gagccctttt gcgagctgct gtcgaacctc aataactccg gcccgacgt gccccgggtg 360
436 agctgcatcg tatccgatgg tgtcatgagc ttcacgttga aggcggcgga gagatttggg 420
437 ctgccggagg tgctgttctg gacgacgagt gcgtgtgggt tcttggcgta tacgcagtat 480
438 aagcatctcg tggagaaagg ctatgtacct ctcaaagata tgagccaagt aacggatgga 540
439 tatttgaaaa caagcatgga ctggattcca ggaacgaagg acatccaact aagggaactc 600
440 ccctctttca tcaggacaac agatccagaa gacatcatgc ttaatttttt aatacaagaa 660
441 actgatgttg ttccgagagc caaagctgta ataatacaaca ccttcgacat gttagaacac 720
442 gacgtcctgg aagcgtctct caccatgttt tcacgcgttt acagcatcg ccctcttcag 780
443 ctgatgatga attatgttca caacgagtc cttaaatcca tcagttccag tctatggaaa 840
444 gaagaaacac attgcgtcga ttggctcgat tcaaaggagc ccgaatccgt tgtgtacgta 900
445 aattttggca gcataactgt cgtgactgca gaacaactga ctgagtttgc gtgggggctc 960
446 gctaatagta agaagacttt cctatgggtt attaggcctg atatagttgc tggagactcg 1020
447 gctatgctgc cccctgaatt cgtgacgggg acaaaaagata gaagcatgtt aatcagctgg 1080
448 tgtaaccaag aacaggtgtt gaatcaccca tcaattggag ggtttttgac gcacagtgg 1140

```

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/583,110

DATE: 06/27/2006

TIME: 11:56:31

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\06272006\J583110.raw

```

449  tggaattcga  cgattgaaag  tatagtcagag  ggagttcctg  tgatttgctg  gcctttcttt  1200
450  gctgagcagc  aaacaaattg  taggttcagt  tgcgtggaat  gggaaatagg  aatggagatt  1260
451  gataataatg  tgaagagaga  tgaggttgaa  gttttgggtg  ggggaattgat  ggatggagag  1320
452  agggggaaga  aaatgaagga  gaaagctatg  gagtggaaag  ggaaagcatt  agaggcaact  1380
453  gcacttgggg  gctcttccta  cttgaacttg  gaaaaactaa  ttaaggaggt  gcttttgcag  1440
454  taa  1443
456  <210> SEQ ID NO: 18
457  <211> LENGTH: 1407
458  <212> TYPE: DNA
E--> 459  <213> ORGANISM: ← response needed
W--> 460  <220> FEATURE:
W--> 461  <221> NAME/KEY:
462  <222> LOCATION:
463  <223> OTHER INFORMATION: pSPB1610
W--> 464  <400> SEQUENCE: 18
465  atggcatctt  ctccccataa  ccagccaacc  acgccccgcc  acgtggtggc  cctaccctac  60
466  cccggccgcg  gccacataaa  ccccatgctc  aacatctgca  aagccgtagc  ggagaagagc  120
467  agccacatca  acataacaat  catcctaacc  gaggaatggc  tcggcttaat  cggctcagcc  180
468  gacaagccgc  cgaacataag  ctacgccgcg  ataccgaaca  ttctgccgtc  ggagcacgtt  240
469  cgccggcgagg  atccacatgg  tttttgggcg  gctgtttggc  agaagatgga  ggagccggtt  300
470  gatcggctgc  tggacgagct  tcggcttaat  aataacaagc  cggagtttgt  gatagccgat  360
471  gctttcttgc  attgggcggc  tgacgtggcg  ggcaggagga  atattccctt  ggcattctgt  420
472  tggccaatgt  cggcgctccac  gttcacggtg  ctttaccact  ttgaccttct  cgttgaccac  480
473  ggacactttc  cgatcgacat  accagtgaat  ggagatgcta  ttgtggatta  catcccggga  540
474  ctccctccag  ttcgctgcgc  agattttcca  aaagacataa  gaaaacaaga  agacgcattc  600
475  ttcgctccta  aactcattcc  caactcacca  aaattcatca  tcttcacttc  aattttacgac  660
476  ctcgaaatcca  agatcatcga  cgctctaaag  caaaaatctt  ccttctcaat  ctacaacatt  720
477  ggtcctcatg  ctctctattc  caaactcaaa  cacatcctca  actcggataa  aatcacgaaa  780
478  cctgatcaag  ataaccccca  ctacttaaaa  tggttagatc  tccaacctcc  caactccgtc  840
479  ttgtacattt  cactcggcag  tttcctatcc  atttcgcgag  cccaaatgga  tgaactcgca  900
480  accggaatac  gaaactctgg  tgtccgcttt  ttgtgggtgg  cacgtggcga  aacaaaccgg  960
481  ttgaaagaga  tttgtgtgta  tcatgaaaaa  gggctgatca  tagaatggtg  cgatcaaatg  1020
482  cagggttctt  ctcttcttc  ggttgggtga  ttcttgctgc  attgtggttg  gaattcgatg  1080
483  aaagaggcgt  tgatggccgg  ggtgcggttt  ttgactattc  caattatgtt  tgatcaagtg  1140
484  tctaacgcga  aggcggtcgt  ggaagattgg  aggggtgggt  ggagggtggt  gaatgagttt  1200
485  aatgaagaag  agttggtggg  aggagatgag  attgcgaata  ttgtgaggag  gtttatggat  1260
486  atggaaaatg  gtgagaggaa  agagttgacg  aaaaatgtga  aagaggtgca  gaagatttgt  1320
487  gcgagagagt  tcgaagatgg  agatggacag  tcgtttgagt  ttaatgttga  aagtttggtt  1380
488  caattgattc  tgcaattggg  tccgtaa  1407
490  <210> SEQ ID NO: 19
491  <211> LENGTH: 1428
492  <212> TYPE: DNA
E--> 493  <213> ORGANISM: ← response needed
W--> 494  <220> FEATURE:
W--> 495  <221> NAME/KEY:
496  <222> LOCATION:
497  <223> OTHER INFORMATION: pSPB1609
W--> 498  <400> SEQUENCE: 19
499  atgaacaaca  caaccaaca  acaaacagta  gcattagcac  tagcacctca  ctgtttaatc  60

```

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/583,110

DATE: 06/27/2006

TIME: 11:56:31

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\06272006\J583110.raw

```

500 gtccattcc cattccaagg ccacattaac cccttactcc aattcgccaa acgcctcata 120
501 actcaccaca acaaaaacct ccaaatacaca ttgcactca ccaaattcat cctcaccac 180
502 ctctctcccg gtgccggaga atcatccttc tctctccggt caatctccga cggcttcgac 240
503 gccggcgcc gcgctcaggc caactccggc gccgaatacc tctccaaatt ccgcgagatc 300
504 ggatctcaaa ccctaaccga acttatccaa gacctatccg aatcgggtcg acccgttgac 360
505 tgcgtggtct acgaccggtt cgtaccttgg gccttagatg ttgccaaggg taaattcggg 420
506 atttcaacgg cggcggtttt tacgcagtcg tgtgcggtgg ataatatata cagtcggggt 480
507 tataacggcg atttggagct gccgttgccg gagaatgagg tggttagggt tccgggtttg 540
508 ccggagatgg agccgtttga gatgccgagc tttgtgtatt taaacgggtc gtaccggtc 600
509 agttttgaga tggttgtggg tcagtttagg aatgttgatg aggcggattg ggtttttgtc 660
510 aacacttttt atgagttgga gaaagagggtc attgactgga tgtcaaaatc ttggcgagtg 720
511 aaagcaattg gacctaccat accatcaatg ttcatggaca agagattgca agaggacaaa 780
512 tcatacggtc ttagcatggt caagcataca acaaatgact gcataaattg gctcaacgga 840
513 aaacaatcaa aatccgtcat ttatgtcgca tttggaagtc ttgcagaatt atcccacgac 900
514 caaactcaag aactggcaca cgccttaaca acctacgaca aacacttctt atgggttgta 960
515 cgatcatcgg aagaagctaa gcttcccaa aattttgcta acgaaacatc taagaaaggg 1020
516 ttgatagtgt cgtgggtgcc tcaattagag gtcttgctgc acgaggccat cggttgtttc 1080
517 gtgactcatt gtggttgaaa ttcaacgctc gagggattga gtttgggggt gcctatggtg 1140
518 gcgatgccac agtgagcgga tcagagtacg aacgctaagt ttatcgtgga tgtttgggg 1200
519 gtgggtgttc gggctaagggt ggacgagggg ggattagcga ggcaagatga gatagtctg 1260
520 tgcttaggga gcgtcatgga aggggagaac ggagaaaaga taagaaagaa tgcgaatgaa 1320
521 tggaaggaaac gggcgtgcaa tgcagttgat gaagggggga gttcagacaa aaatattgaa 1380
522 gaatttgtaa ctacgttgat aagttcccat gacttgctgc aagagtaa 1428

```

524 &lt;210&gt; SEQ ID NO: 20

525 &lt;211&gt; LENGTH: 1425

526 &lt;212&gt; TYPE: DNA

E--> 527 <213> ORGANISM: *← response needed*

W--&gt; 528 &lt;220&gt; FEATURE:

W--&gt; 529 &lt;221&gt; NAME/KEY:

530 &lt;222&gt; LOCATION:

531 <223> OTHER INFORMATION: *see p.10* pSPB1617

W--&gt; 532 &lt;400&gt; SEQUENCE: 20

```

533 atgtctagt agagccaaat aaacttagtg ttcatccctc tccctgtaaa gggacacatt 60
534 gtctcaacgc tagagacggc aaagctactc gtcatcgaa acaaacgcct caccatcaca 120
535 atcctcctca tgaagctgcc agtcgacgcc aaggtagatg attccttcac aaaaaatccc 180
536 tctgtctctc aaataacttt tgtacatctc cctcgaatcg agcacagttc catggaacca 240
537 ccgggaactc ccgaatcctt tgtacacagg ttctgcgaga gccaaaaatg tctcgtaaga 300
538 gatgcggtgg ttaaagcaac ggagggtcga aaatcaaaca ggctagccgg atttgtaatc 360
539 gacatgttct gcaccccgat gattgatgtg gccaatgaat ttggcgctcc gacatacgtg 420
540 gctttcacgt ccggggccgc aactctcggg ctattgttcc atttgagag tcttagagat 480
541 gaatttaatc aggacgtgaa ggagtacgag aactcggaag ttgagatata gatcccggt 540
542 tatgttaacc cgttcccttc caaatccttg ccgtctctg tcttcaacga ggacggtgtt 600
543 tttcttagtc ttgcaaaggg gttcagagag gctaaaggta tattgatcaa cacttttta 660
544 gaatttgaat cccatgccat taaatcgctc tccaacgatg cgagaatccc gctgtttac 720
545 cccatcgggc cagtaattca cgccacggaa gataatgcaa acaaaggaaa gcaggacgaa 780
546 atcatcgctg ggttgacga gcaacctgat tcatccgtcg tgtttctttg cttcggaagc 840
547 gctggatgct ttgaagaaaa tcaagtgaag gagattgcag tggcgctcga caaaagtgga 900
548 taccggtttt tatggtcatt gagaaagccg cctcccaaag aaaaagcggg gtttccaggg 960
549 gagtacaaag attttaatga agttttacca gaagggttct tacaacgtac gtccgggaga 1020

```

## RAW SEQUENCE LISTING

DATE: 06/27/2006

PATENT APPLICATION: US/10/583,110

TIME: 11:56:31

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\06272006\J583110.raw

```

550 ggtaaggtaa taggatgggc tccgcagatg gccgtgttgt ctcacaatgc ggtgggagga 1080
551 ttcgtgtcgc attgcggctg gaactcgacg ttggagagtg tttggtgcgg agtgccaatg 1140
552 gccgtgtggc cattggcggc cgagcaacat gcgaacgcgt tccagttggt gaaggagtgt 1200
553 ggaattgcgg tggagattaa gatggattat aggaagaaca gtggtgtgat tgtggaggca 1260
554 aaaatgattg agaaaggaat cagggagtgt atggaccgga aaaatgagat aaggggtaat 1320
W--> 555 gtgaaagtga tgaaaaagga gagtaggana gctgtcgtgg atggtgggac ttcttttgat 1380
556 tacttgatc gttttgttga aactgtcgtg aataatgttt tgtga 1425
558 <210> SEQ ID NO: 21
559 <211> LENGTH: 1446
560 <212> TYPE: DNA
E--> 561 <213> ORGANISM: <- response needed
W--> 562 <220> FEATURE:
W--> 563 <221> NAME/KEY:
564 <222> LOCATION:
565 <223> OTHER INFORMATION: pSPB1615
W--> 566 <400> SEQUENCE: 21
567 atgggttccg tagcgggaaa cagttacaaa cggcctcatg ctgtgtgcat acccttcccg 60
568 gcgcaggggc acatcaaccc catgctgaag ttggccaaac tcctccacca aaagggttcc 120
569 cacatcacat tcgtcaacac agagtacaac caccgcgcgt tgc tcaagtc cctcgcccc 180
570 gacgctctcg atggcttgcc ggatttccga ttcgcaacca tccccgacgg tcttctctcg 240
571 tctgacgcgg acgtcactca ggatgttcc tctctttgta tgtccaccac taacacttgc 300
572 ttggagccct ttaccgagtt gctgttgaaa ctcaataact cgggcccgga cgtgccaccg 360
573 gtgacctgca tcgtctcgga tgggtgtcat agcttcacat tgaaggcggc ggagaggttt 420
574 gcgctgccgg aagtgtgtgt ctggacgacg agtgctgtgt gtttcttggc gtacacgcag 480
575 tataagcgtc tcttgaggaa aggctatgtc cctctcaaag atatgagcca gttacaaat 540
576 agctatctgg aaacaaccct cgactgggtt ccaggaatga aggatatccg attaagggac 600
577 ttcccatcat tcatcaggac aacggatcca aaagacatca tgtacaattt cgtattacaa 660
578 gaaaccgacg ctgtctccag agccaaagct ctgatcatca acacctttca tacattggaa 720
579 cagcagcttg taaatgccct ctccaccatg tttccacgtg tttacaccat cggctctctt 780
580 cagctgatgt tggaccaagt tcatgacaag agccttaacg ccatcaactc caatctctgg 840
581 aaagaagaat cgcaatgcat cgattggctc aattcaaaag agcccgaatc cgttgtgtat 900
582 gtgaatttgc gtagtgtcac tgttgtgact gctcaacaac tgacggaatt tgcgtggggg 960
583 cttgcgaaca gcaacaagac ttttttatgg gttattaggc ctgatatagt tgttgagac 1020
584 tcggcaatgc tgccccctga attcttgacg gacacggaag acagaagcat gctaataagc 1080
585 tgggtgaacc agaacagggt gttgaggcac ccttccatcc gaggattttt gacgcacagt 1140
586 ggttggaact cgacgcttga aagtattgtc agcggagtgc ctatgatatg ttggcctttc 1200
587 tttgctgagc aacagacaaa ttgtaggttc agttgcgtgg aatgggaaat aggaatggag 1260
588 attgacaata atgtgaagag agatgaggtt gaggtgtcgg tgagagagtt gatggatggt 1320
589 gaaaagggga agaaaatgaa gaagaaagct atggagtgga agatgaaagc agaagcagca 1380
590 gctgcccctg ggggaccttc gtctttaaat ttggaaaaac ttattgagga ggtgcttttg 1440
591 caataa 1446
593 <210> SEQ ID NO: 22
594 <211> LENGTH: 1308
595 <212> TYPE: DNA
E--> 596 <213> ORGANISM: <- response needed
W--> 597 <220> FEATURE:
W--> 598 <221> NAME/KEY:
599 <222> LOCATION:
600 <223> OTHER INFORMATION: pSPB660

```

*needs  
exploration  
(see item 9  
on Enr  
summary  
sheet)*

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/583,110

DATE: 06/27/2006

TIME: 11:56:31

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\06272006\J583110.raw

## W--&gt; 601 &lt;400&gt; SEQUENCE: 22

```

602 atgaaggctc atgcagtgat gcttccttgc cccgtacaag ggcacttaaa tcctatgctg      60
603 aaactggcca aaatattgca ttcaagaggc ttcttcatca cattcgtgaa cacggaattc      120
604 aatcacaaac gtctagtgcg tgcgagaggc cccgaatctg ttaaaggctc cgatgatttt      180
605 cagttcaaaa ccatacctga tggactaccg ccttttgata aggacgcaac gcaagacata      240
606 cctcaactgt gtgattctct tcaaaagaat ggtcttcctc cattgttgga cctcattaaa      300
607 agtattaatg attcaccgga ctgtccaaat gttacctgta tagtgattga tttggccatg      360
608 agtttcgctc ttgatgcggc cgagggtgtc aaaattccca cgggtgactt ttcgccaact      420
609 agtgcttggt gattcatggg gttttgcaat tatgaagagc ttgtgaatcg aggattgttt      480
610 ccacttaaaag atgaaagtca aataactaat ggctatcttg ataccaaact agactgggtg      540
611 ccagggatga agaacattag gctcagagat tttcctagtt tcatccgaac gactgatcca      600
612 gatgatatca tgggtgaactt catgattttt aacatgaaga atgcgcctcg tgcaaaggct      660
613 gtggtagtca acacattcga tgaattggag aaagatgtat tggaggccct aagtaaaaaa      720
614 tttgatcatg ttttttccat aggcccactc caattgatgg agaaggcttt ccaaaagcct      780
615 gaggtaaaat ctataggatc aagcttgttg aaagaagaca acacgtgcat cgcctggctc      840
616 aacggcaggg agccaaattc tgtgtgtgac gtgaactttg gaagcatcac agtggtgtca      900
617 cctcaacaac tattggagtt cgcattggggc ctagccaata gcaaccatta ctttttggtg      960
618 atcataaggc cagatttggt aagtggagaa tctgcgattt tatccgaaga gtactcaaag     1020
619 gaagttgaag ggcgggcgat gatggtgctg tgggtgcttc aagagcaagt attggcccat     1080
620 ccttcggtag gtgattctt gacacattct ggctggaact cgactatcga aggaatgtca     1140
621 gaaggtgttc ctatgatttg ttggcctttt tttgctgacc aacagaccaa ttgtcggtat     1200
622 gcatgcacgg agtgggagat tggaatggag attgaaggag aggttacgag ggataaagtg     1260
623 gcggtatttg tgaaaatatt gatggaggag ggaaggggag agcgatga      1308

```

625 &lt;210&gt; SEQ ID NO: 23

626 &lt;211&gt; LENGTH: 1506

627 &lt;212&gt; TYPE: DNA

E--&gt; 628 &lt;213&gt; ORGANISM

W--&gt; 629 &lt;220&gt; FEATURE:

W--&gt; 630 &lt;221&gt; NAME/KEY:

631 &lt;222&gt; LOCATION:

632 &lt;223&gt; OTHER INFORMATION: (pSPB658)

## W--&gt; 633 &lt;400&gt; SEQUENCE: 23

```

634 atggccattc atgaacaaaa acctcacttt gtctgtttcc ctttcatggc acaaggccat      60
635 atgattccca tggtagatat cgccagatta ctgcggaagc gcggtgtcac aatcaccatt     120
636 ctactcacac ccacaatgc caacagggtc aaaacagtca ttgctcgtgc aatcgattca     180
637 ggactaaata tcaatgtcat ccacttcaaa tttccatccg ttgaggctcg attgcccga     240
638 ggttgtgaga atttcgatat gctccctgac atcaatggcg cattgcagtt tttcaaagcc     300
639 actttcatgt tacaagaaca ggtcgaagag ttgcttccaa agctcgagcc tcttcgagc     360
640 tgcctaattg ctgatatgtg ctttccatgg acaacaaatc ttgctttgaa gttaaattgt     420
641 ccaagaattg tgtttcacgg gacaagttgc ttttctctcc tatgtatgca cgtttttagga     480
642 acttctaagg atttcgaagg tgtgactaac gaaacggagt acttccttgt gcctggatta     540
643 ccagataaaa tcgaaataac caaaattcag cttaggggca cccttattca aatgaattca     600
644 gactggacga agtttcgtga tgagggtgca gaggtgagg taaaagcatt tggaacgggt     660
645 gccaatactt ttgaagattt ggaaccagag tatgtcaaag aatacagcag agttaaggc     720
646 aaaaaagtct ggtgcatagg tcctgtttca ttatgcaaca aagatggcat agacaaggcc     780
647 gaaagaggta acatggcttc aatcgacgca caccattgct tgaagtggct caattcacac     840
648 gaacaaaagt ctgttattta cgtctgcctt ggaagcatat ctgcctcgc tacttcacaa     900
649 ctgatagagc ttggattggc tttagaagca tcaaacagac cttttatttg ggtagttaga     960
650 gatccatcac aagaacttaa aaaatggttt ttgaatgaga aatttgagga aagggtaaag     1020

```

10/583,110

12

<210>69

<211>2220

<212>DNA

<213>Linaria bipartita

<220>

<221>CDS

<222>(127)....(1488)

<223>Nucleotide sequence of cDNA encoding 4'CGT of linaria bipartita

<400>69

Nucleotide